

NOTIFY the PHYSICIAN'S NURSE

1. If you think that your bowel prep did not completely clear the intestines for any reason, please call your doctor or the doctor on call for an alternative prep..
2. If you have a history of artificial heart valve, recent joint replacements or have been hospitalized for bacterial endocarditis, **please call your physician's nurse** so that antibiotic coverage can be arranged prior to your procedure.
3. If you are on any type of prescribed medications, **please notify the prescribing doctor** of your upcoming colonoscopy/surgery. Please make sure that doctor agrees that it is okay to stop the medication. **These types of drugs should be stopped 3-7 days prior to your procedure (if recommended by your prescribing physician).**

Blood thinners	NSAIDS	OTC Supplements
Aggrenox (dipyridamole+ aspirin)	Aspirin (Excedrin, bayer)	Fish oil
Aggrastat (tirofiban)	Celecoxib (celebrex)	Garlic in large amounts
Arixtra (fondaparinux sodium)	Ibuprofen (advil, motrin)	Ginko biloba
Coumadin (warfarin)	Indomethacin (indocin)	Ginger
Dicumarol (dicumarol)	Mag salicylate (bayer select)	Ginseng
Effient (prasugrel)	Meloxicam (mobic)	St John's Wart
Eliquis (apixaban)	Nabumetone (Relafen)	Saw Palmento
Integrilin (eptifibatide)	Naproxen (naprosyn)	Vitamin E
Miradon (anisinidine)	Naproxen sodium (aleve)	
Plavix (clopidogrel bisulfate)	Oxaprozin (daypro)	
Persantine (dipyridamole)	Piroxicam (feldene)	
Pletal (cilostazol)	Tolmetin sodium (tolectin)	
Pradaxa (dabigatran)	Valdecoxib (bextra)	
Reopro (abciximab)	Diclofenac (voltaren)	
Xeralto (rivaroxaban)		
Savaysa (Edoxaban)		
Brilinta (Tricagrelor)		

Please make sure that you take all medications for acid reflux, asthma, bronchitis or emphysema in the morning with at sip of water on the day of your procedure.

Please make sure that you take all blood pressure medications the day of your procedure with a sip of water. This includes combination medications for blood pressure which contain diuretics.

ACE INIHIATORS	BETA BLOCKERS	ANGIOTENSION II	COMBINATION
Accupril (quinapril)	Betapace (sotalol)	Atacand (candesartan cilexetil)	Aldoril (methyldopa + hctz)
Aceon (perindopril)	Bisoprolol (zebeta)	Avapro (irbesartan)	Capozide (captopril + hctz)
Altace (Ramipril)	Blocadren (timolol)	Benicar (olmesartan)	Corzide (nadolol + bendroflumethiazide)
Capoten (captopril)	Bystolic (nebivolol)	Cozaar (losartan)	Dyazide (triameterene + hctz)
Lotension (benazepril)	Cartrol (carteolol)	Diovan (Valsartan)	Hyzaar (losartan + hctz)
Mavik (trandolapril)	Coreg (carvedilol)	Hyzaar (losartan)	Inderide (propranolol + hctz)
Monopril (fosinopril)	Corgard (nadolol)	Micardis (telmisartan)	Lexxel(feldopine + enalapril)
Prinivil (lisinopril)	Inderal& inderal-la (propranolol)	Teveten (eprosartan mesylate)	Lotrel (amlodipine + benazepril)
Prinizide (lisinopril + diuretic)	Kerlone(betaxolol)	Valsartan (diovan)	Lotension hct (benazepril + hctz)
Univasc (moexipril)	Levatol (penbutolol)	OTHER BP MEDS	Moduretic (amiloride + hctz)
Vasotec (enalapril, analaprilat)	Lopressor (metoprolol)	Catapres (clonidine)	Prinizide (lisinopril + hctz)
Zesteril (lisinopril)	Normodyne(labetalol)	Cardura (doxazosin)	Tentoretic (atenolol + chlorthalidone)
	Tenormin (atenolol)	Cardene (nicardipine)	Vaseretic(enalapril + diuretic)
	Toprol xl(metoprolol)	Cardizem (diltiazem)	Zestoretic (lisinopril + diurectic)
	Trandate (labetalol)	Norvasc (amlodipine)	Ziac (bisoprolol + hctz)
	Zebeta(bisoprolol)	Plendil (felodipine)	
		Procardia xl (nifedipine)	

If you take a fluid pill or water pill (plain diuretic) do not take these on the day of the procedure. These include clorothiazide, hydrochlorothiazide, furosemide, bumetanide, toresmide, amiloride, spironoactone, triameterene, mannitol, dyazide, maxxide and moduretic.



Colon & Rectal
Specialists

PLEASE NOTE THAT IF YOU ARE HAVING SURGERY THAT WILL REQUIRE YOU TO STAY OVERNIGHT OR LONGER AT THE HOSPITAL- PLEASE ASK THE NURSE WHEN YOU GO IN FOR PREOP TESTING WHICH MEDICATIONS YOU SHOULD TAKE PRIOR TO YOUR SURGERY...



*******PLEASE NOTE THAT YOU WILL BE CHARGED A CANCELLATION FEE IF YOU DO NOT CANCEL YOUR PROCEDURE AS POLICY STATES. (Practice policy for**

administrative services)

Procedures scheduled on Monday must be canceled or rescheduled by 4:30 PM the preceding Wednesday.
Procedures scheduled on Tuesday must be canceled or rescheduled by 4:30 PM the preceding Thursday.
Procedures scheduled on Wednesday must be canceled or rescheduled by 4:30 PM the preceding Friday.
Procedures scheduled on Thursday must be canceled or rescheduled by 4:30 PM the preceding Monday.
Procedures scheduled on Friday must be canceled or rescheduled by 4:30 PM the preceding Tuesday.